

ALL NEW SUPRO MINITRUCK VX

BIG



MINITRUCK

NOW IN BS6

Get ready for the change called the all new Mahindra BS6 Supro Minitruck VX. With a big payload capacity, big tyres and the best mileage in its category. It's not just a Minitruck, but a big Minitruck.



DI ENGINE

BIG PERFORMANCE

23.64_{km/l} MILEAGE


900_{kg} PAYLOAD

13" (33.02 cm) TYRE

170_{mm} GROUND CLEARANCE



**8 LEAF IN FRONT &
7 LEAF IN REAR**



- 0.9 mm sheet metal gauge
- Tough and rugged Mahindra DNA
- 19.4 kW (26 hp) Powered, Strong Direct Injection (DI) Engine that climbs any elevation with ease
- 2280 mm long and 1540 mm broad Cargo Box that carries heavy loads effortlessly
- 70 km/h and 58 Nm Torque that transports loads quicker
- Fuel Smart Power and Eco Mode with speed regulation that saves more fuel



BIG COMFORT AND CONVENIENCE

- Bench seats for comfortable seating
- Spacious Cabin for seamless travel
- 12V Mobile Charging Point so you're always in touch.
- Mahindra's most recognised Front Grill
- Stylish and attractive wraparound headlamps for better visibility
- Stylish exterior with modern design
- Car-like interior for classic travel experience

BIG SECURITY

- Front Nose design that keeps you safe
- ELR Seat Belt that keeps you protected
- New X-Split Brakes with LSPV Braking System for superfine control

BIG TRUST

- 3 year or 80 000 km* warranty. Meaning less maintenance and more savings
- 2600 Mahindra technicians trained by Mahindra
- 10 lakh life insurance and other attractive facilities only for Uday Members



LSPV
BRAKES

Available colours

Lava Red



Deep Warm Blue



Diamond White



Also available in



Specification	Description	Supro Minitruck VX
Engine	Type	Four Stroke DI, TCIC
	No of Cylinders	2
	Displacement Capacity	909 cm ³
	Maximum Engine Output (Power)	19.4 kW @3600 r/min (26 hp)
	Maximum Torque	58 Nm @ 1200-3000 r/min
Transmission	No of Gears	4 Forward and 1 Reverse
Steering	Type	Manual
Suspension	Front	Leaf spring 8
	Rear	Leaf Spring 7
Brake	Type	Vacume Assisted Hydraulic with Auto Adjuster.
	Front	Disc
	Rear	Drum
Dimensions	Over all vehicle Dimension L X W X H in mm	3927 x 1540 x 1915
	Cargo Box Dimension L X W X H in mm	2280 x 1540 x 330
	Highdeck Dimension in mm	3927 x 1600 x 2320
	Wheel Base in mm	1950
	Min Ground Clearance in mm	170
Weights	GVW	1975
	Payload (kg)	900
Wheels & Tyres	Wheel Rim Size	4.5J X 13 (33.02 cm)
	Tyre Size	155 R13, 8PR (33.02 cm)
	Max Speed	Power mode- 70 km/h / Eco mode-60 km/h.
	Seating Capacity	D + 1
	AC	NA
	Diesel Tank Capacity (litre)	30
	Mileage	23.64 km/l* (in Eco Mode)

Terms & conditions applied. Accessories shown are not part of the standard equipment. As per *VRDe certification depending on standard driving conditions. *Warranty - 3 years or 80 000 km, whichever is earlier.



Mahindra & Mahindra Ltd., Automotive Sector, Mahindra Towers, 3rd Floor, Akurli Road, Kandivali (E), Mumbai 400 101.

All features and colors mentioned are not available on all models. Accessories shown are not part of the standard equipment. Performance figure may differ in conditions other than test conditions. Vehicle body color may differ from the printed photographs. In view of our policy of continuously improving our products, we reserve the rights to alter specifications or designs without prior notice and without liability. Please check model details with your nearest dealer.

SUPRO HD SERIES

PROFITRUCK